

STIF BACK® II

Stif Back® II Window Well

Strongest in the industry

- Designed to withstand the pressure from heavy clay/soil and aggressive back filling
- Superior strength due to deep corrugation
- Available to fit 4' and 5' wide picture window applications for both frame and wall mount
- Single piece (up to 72" high) prevents separation
- See Pricing tab for information on adding a vinyl edge protector

**COLOR CHOICES:**

Galvanized

White

Sandalwood

STIF BACK® II



Stif Back® II Window Well

WALL MOUNT (ANCHORED TO FOUNDATION)					
PART NUMBERS					
GALVANIZED	WHITE	SANDALWOOD	DESCRIPTION/SIZE W x P x H	SHIP WT. (LBS)	
4' WIDE					
	96675	95763	95765	SBII 55 24 24	42
	96701	95764	96702	SBII 55 24 36	56
	96616	96852	95767	SBII 55 24 48	73
	96617	96854	96853	SBII 55 24 60	88
	96618	96856	96855	SBII 55 24 72	112
	96718	95726	96747	SBII 55 24 84	144
EGRESS	96676	95708	97741	SBII 55 36 24	52
	96708	95709	97734	SBII 55 36 36	69
	96619	96858	96857	SBII 55 36 48	89
	96620	96860	96859	SBII 55 36 60	109
	96621	96862	96861	SBII 55 36 72	138
	96724	95729	97733	SBII 55 36 84	177
5' WIDE					
	96679	96771	96773	SBII 67 24 24	48
	96711	96877	96774	SBII 67 24 36	63
	96643	96772	96775	SBII 67 24 48	82
	96644	96876	96878	SBII 67 24 60	100
	96645	96879	96880	SBII 67 24 72	152
	96720	96875	96776	SBII 67 24 84	163
EGRESS	96680	95712	96777	SBII 67 36 24	58
	96712	95713	96778	SBII 67 36 36	76
	96646	96881	96882	SBII 67 36 48	100
	96647	96884	96883	SBII 67 36 60	120
	96648	96885	96886	SBII 67 36 72	152
	96726	95732	96779	SBII 67 36 84	178
6' WIDE					
	96683	96685	96783	SBII 79 24 24	53
	96715	96781	96793	SBII 79 24 36	80
	96655	96899	96785	SBII 79 24 48	91
	96656	96901	96794	SBII 79 24 60	110
	96657	96903	96787	SBII 79 24 72	140
	96722	96782	96788	SBII 79 24 84	190
EGRESS	96684	96984	96789	SBII 79 36 24	63
	96716	96960	96790	SBII 79 36 36	83
	96658	96905	76791	SBII 79 36 48	108
	96659	96907	96908	SBII 79 36 60	131
	96660	96909	96910	SBII 79 36 72	166
	96728	95734	96792	SBII 79 36 84	180



Stif Back® II Window Well

FRAME MOUNT (BOLT TO MONARCH STEEL FRAME)					
PART NUMBERS			DESCRIPTION/SIZE W x P x H	SHIP WT. (LBS)	
GALVANIZED	WHITE	SANDALWOOD			
4' WIDE					
	96673	95725	95737	SBII 49 24 24	40
	96699	95735	95738	SBII 49 24 36	52
	96604	96842	96841	SBII 49 24 48	68
	96605	96844	96843	SBII 49 24 60	86
	96606	96846	96845	SBII 49 24 72	104
	96717	95736	95739	SBII 49 24 84	137
EGRESS	96674	96911	95740	SBII 49 36 24	49
	96700	96959	95741	SBII 49 36 36	65
	96610	96848	96847	SBII 49 36 48	87
	96611	95707	96613	SBII 49 36 60	108
	96612	96850	96849	SBII 49 36 72	130
	96723	96851	95742	SBII 49 36 84	169
5' WIDE					
	96677	95743	95746	SBII 61 24 24	45
	96709	95744	95747	SBII 61 24 36	59
	96634	96864	96863	SBII 61 24 48	77
	96635	96866	96865	SBII 61 24 60	94
	96636	96868	96867	SBII 61 24 72	119
	96719	95745	95748	SBII 61 24 84	153
EGRESS	96678	95710	95749	SBII 61 36 24	55
	96710	95711	95750	SBII 61 36 36	74
	96637	96870	96869	SBII 61 36 48	94
	96638	96871	96872	SBII 61 36 60	119
	96639	96873	96874	SBII 61 36 72	145
	96725	95731	95751	SBII 61 36 84	188
6' WIDE					
	96681	95752	95757	SBII 72 24 24	51
	96713	95753	95758	SBII 72 24 36	66
	96649	96887	96888	SBII 72 24 48	86
	96650	96889	96890	SBII 72 24 60	105
	96651	96891	96892	SBII 72 24 72	133
	96721	95754	95759	SBII 72 24 84	171
EGRESS	96682	96983	95760	SBII 72 36 24	60
	96714	95755	95761	SBII 72 36 36	79
	96652	96893	96894	SBII 72 36 48	103
	96653	96895	96896	SBII 72 36 60	126
	96654	96897	96898	SBII 72 36 72	159
	96727	96770	95762	SBII 72 36 84	205